

| | Hits | Search Text | DBs |
|----|---------|--|--|
| 1 | 1003819 | (record\$5).ab. and (@pd<"20040623" or @ad<"20040623" or @rlad<"20040623" or @rlpd<"20040623") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 2 | 821 | ((unauthorized or illegal) with record\$5).ab. and (@pd<"19980813" or @ad<"19980813" or @rlad<"19980813" or @rlpd<"19980813") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 3 | 14 | S2 and quality.ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 4 | 2 | "6611812".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 5 | 44 | S2 and quality | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 6 | 657060 | (record\$5).ab. and (@pd<"19980813" or @ad<"19980813" or @rlad<"19980813" or @rlpd<"19980813") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 7 | 853 | S6 and (decrypt\$6) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 8 | 239 | S7 and quality | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 9 | 56 | S7 and (record\$6 with quality) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 10 | 95 | S7 and (record\$6 same quality) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 11 | 536 | (record\$5 with quality with level).ab. and (@pd<"19980813" or @ad<"19980813" or @rlad<"19980813" or @rlpd<"19980813") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 12 | 18 | (record\$5 with quality with level with predetermined).ab. and (@pd<"19980813" or @ad<"19980813" or @rlad<"19980813" or @rlpd<"19980813") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|-------|---|---|
| 13 | 587 | (record\$5 with quality with (level or threshold)).ab. and (@pd<"19980813" or @ad<"19980813" or @rlad<"19980813" or @rlpd<"19980813") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 14 | 10477 | S6 and (open\$6 with (port or device)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 15 | 16600 | S6 and (open\$6 with (port\$3 or device\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 16 | 8 | S16 and (authoriz\$5 with open) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 17 | 4281 | S15 and (clos\$6 with (port or device\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 18 | 9664 | S6 and (open\$6 near5 (port\$3 or device\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 19 | 1781 | S18 and (clos\$6 near5 (port or device\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 20 | 6711 | S6 and (open\$6 near3 (port\$3 or device\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 21 | 1071 | S20 and (clos\$6 near3 (port or device\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 22 | 21 | S21 and (error adj2 message) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 23 | 2 | (wavein near3 (device or port)) and (@pd<"19980813" or @ad<"19980813" or @rlad<"19980813" or @rlpd<"19980813") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 24 | 0 | (waveingetnumbdevs) and (@pd<"19980813" or @ad<"19980813" or @rlad<"19980813" or @rlpd<"19980813") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 25 | 0 | (waveingetnumbdevs) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 26 | 0 | (waveinget) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 27 | 12 | (wavein) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 28 | 8 | S27 and microsoft | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 29 | 2 | S23 and microsoft | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|--|--|
| 30 | 0 | S31 and (compact adj2 flash) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 31 | 0 | S31 and (smart adj2 flash) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 32 | 169 | (smart adj2 flash) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 33 | 22 | (smart adj2 flash) and (compact adj2 flash) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 34 | 0 | (smart adj2 flash) and (compact adj2 flash) and (@pd<"19980813" or @ad<"19980813" or @rlad<"19980813" or @rlpd<"19980813") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 35 | 45 | (smart adj2 flash) and (@pd<"19980813" or @ad<"19980813" or @rlad<"19980813" or @rlpd<"19980813") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 36 | 0 | S37 and (compact adj3 flash) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 37 | 48 | S30 and network | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 38 | 48 | (disk and cd and dvd and database and zip and flash) and (@pd<"19980813" or @ad<"19980813" or @rlad<"19980813" or @rlpd<"19980813") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 39 | 95 | S10 and record\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 40 | 33 | S31 and modem | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |